

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-43  
Relating to Certification of New Motor Vehicles

AUDI NSU AUTO UNION AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Audi NSU Auto Union AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
FAD2.2V6FCC9	136 (2.22)	Three-Way Catalyst with Closed Loop (Mechanical Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.41	7.0	0.7

The following are the certification emission values for the above engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.20	2.6	0.2

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 16<sup>th</sup> day of July, 1984.



K. D. Drachand, Chief  
Mobile Source Division

## 1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer Audi Executive Order No. A-30 43  
 Engine Family FAD 2.2 V6FCC9 Evaporative Family ADCN  
 Engine CID (Liters) 136 (2.22)

## ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 EEC-Electronic Engine Control  
 EI-Electronic Ignition  
 EEC-Electronic Spark Advance  
 Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
 nV-nVenturi Carburetor  
 Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 CL-Closed Loop  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 OC-Oxidation Catalyst System  
 TOC-Trap Oxidizer Continual  
 TOP-Trap Oxidizer Periodical  
 TR-Thermal Reactor  
 TWC-Three-Way Catalyst System

Special Features

CCV-Combustion  
 Chamber Valve  
 CFI-Central Fuel  
 Injection  
 DID-Diesel  
 Injection-  
 Direct  
 DIP-Diesel  
 Injection-  
 Prechamber  
 EFI-Electronic  
 Fuel  
 Injection  
 IC - Intercooler  
 MFI-Mechanical  
 Fuel  
 Injection  
 TC-Turbocharged

VEHICLE MODELS:

5000 S  
 5000 S Wagon  
 Coupe GT

D. VEHICLE SYSTEM: Front Engine/Front -Wheel Drive

012584

ENGINE FAM.: FAD 2.2 C F, C ENGINE CODE: all

ISSUE DATE: 01-16-84

R.Ch.-No.: REVISION DATE:

E.D. No. A-30-4308.13.00.00 General Specifications

## .01.00 Frontal Areas

Model	Frontal Area (ft <sup>2</sup> )
Audi GT Coupe	19.7
Audi 4000 S	19.4
Audi 5000 S/5000 S Wagon	22.0

## .02.00 Test Horsepower

## .01 Exhaust Emission Test Conditions

## a) Frontal Area HP

Model	DPA-value (HP)	DPA + 10 % Value (HP)
Audi GT Coupe	9.8	10.8
Audi 4000 S	9.7	10.7
Audi 5000 S/ 5000 S Wagon	11.0	12.1

## b) Coastdown HP

Model	DPA- value (HP)	DPA+10 % value (HP)	ETW (lbs)	corr.track c.d.t (sec)	c.d.t. for DPA+10 % (sec)
Audi GT Coupe	6.9	7.6	2750	14.25	13.08
	6.9	7.6	2875	14.89	14.24
Audi 4000 S	6.9	7.6	2875	14.89	14.24
Audi 5000 S/ 5000 S Wagon	6.4	7.0	3250	15.86	15.14

E.O. #A -30-43

## 1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars ☐ Light-Duty Trucks ☐ Medium-Duty Vehicles ☒ Gas ☐ DieselManufacturer AudiPage 2Engine Family FAD 2.2 V6FCC9

Engine

Code see belowECS (Special Features) CL, TWC (MFI)

CID (Liter)-

Type 136 (2.22)

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Part No.	Fuel System Part No.	EGR Valve Part No.	Label Ident. Part No.
NLCOIMBX NLCOIMBY	5000 S	M5 A3	3250	EI 211 905 351, or 211 905 351 A, or 211 905 351 B, or 211 905 351 D	MFI 034 133 353	N/A	TUL 443 000 331 AD
NLCOIMBX NLCOIMBY	5000 S Wagon	M5 A3	3375	CL 811 906 264 B, or 811 906 264 C, or 811 906 264 D, or 811 906 264 E	CA, VA 035 905 205AM, or 034 905 205 F		VHRD 034 000 363 S
NL 1BX	Coupe GT	M5 A3	2750 2875	- " -	- " -	- " -	TUL 443 000 331 AD VHRD 034 000 363 T

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 07/11/84